

# SKG-IKOB PRODUCTCERTIFICATE

## 462.633.09

Date of issue: 18-07-2019



### Certificate holder

Erich Dieckmann GmbH  
Grüner Talstraße 18-20  
D-58644 Iserlohn  
T: +49 (0) 2371 9560  
E: info@dieckmann.com  
I: www.dieckmann.com



### Declaration of SKG-IKOB

This certificate has been issued on the basis of BRL 3104 in accordance with the SKG-IKOB Regulations for Attestation, Certification and Inspection.

SKG-IKOB declares that the by or on behalf of the certificate owner produced building hardware product:

#### backplate narrow

delivered under logo / brand:

#### DIECKMANN / BUVA

delivered under type- and / or article number:

#### Kronos(L) ZA

meets class 3 STER according BRL 3104 and NEN 5089: 2009 if the product is indelibly marked with the SKG mark, as shown above.

For SKG-IKOB

A blue ink handwritten signature, appearing to be "H.A.J. van Dartel", written over a horizontal line.

ir. H.A.J. van Dartel  
Certification manager

Verify at [www.sterrenwijzer.nl](http://www.sterrenwijzer.nl) if this certificate is still valid and actual.  
This certificate contains 2 pages.

CERTIFICATE

SKG-IKOB Certificatie  
Poppenbouwing 56  
4191 NZ Geldermalsen

Postbus 202  
4190 CE Geldermalsen

T 088-2440100  
info@skgikob.nl  
www.skgikob.nl

# SKG-IKOB PRODUCTCERTIFICATE

Erich Dieckmann GmbH  
Number: 462.633.09

page 2 of 2

**1. PRODUCT**  
backplate narrow

**PRODUCT TYPE**  
security furniture

---

## 2. TECHNICAL SPECIFICATION

Operating: Mechanical operation  
Construction: set of an outside part and  
an inside part with mounting screws  
System: WITH cylinder protection  
PZ: 92 mm  
various handles  
Material: outside part: extruded aluminium, anodised  
inside part: zamac with aluminium cover  
Dimension: outside part: 245x35x15 mm  
inside part: 245x36x8 mm  
Fixing: 3xM6(10.9) in steel cams, c.o.c. 96/113 mm  
Intended use: wood, PVC, metal  
in combination with mortice locks on doors

---

## 3. DELIVERY

The delivery includes an installation instruction:  
Version: 1.1

---

## 4. PERFORMANCES

A backplate narrow according this certificate fulfils the relevant requirements of BRL 3104.

A window- or door set, in which this backplate narrow is installed according the installation instructions of the certificate holder meets at least burglar resistance class (RC) 3 of NEN 5096 and EN 1627, if:

- the façade element or the (profile-)system from which the element is manufactured is delivered under a (KOMO-)quality approval with respect to the aspect burglar resistance, in which the actual window or door type is admitted and the herein mentioned conditions are fulfilled.

A window or door, in existing buildings, in which this backplate narrow is installed according the installation instructions of the certificate holder, meets the requirements of the Police Mark Save Housing (PKVW) - Existing Building, if:

- the other aspects of the façade element also comply with the applicable PKVW Protection directive (publication CCV).
-